

Alcune pubblicazioni

- [1] S. Leonardi, *On the Campanato nearness condition*, Le Matematiche vol. XLVIII fasc. I (1993).
- [2] W. Hao, S. Leonardi, M. Steinhauer, *Examples of discontinuous divergence-free solutions to elliptic variational problems*, Comm. Math. Univ. Carolinae 36, 3 (1995).
- [3] W. Hao, S. Leonardi, J. Nečas, *An example of irregular solution to a non-linear Euler-Lagrange elliptic system with real analytic coefficients*, Annali Scuola Normale Superiore Pisa (IV) XXIII, 1 (1996).
- [4] S. Leonardi, *On constants of some regularity theorems. De Giorgi's type conterexample*, Mathematische Nachrichten vol. 192 (1998).
- [5] S. Leonardi, J. Malek, J. Nečas, M. Pokorny, *On axially symmetric flows in R^3* , Zeitschrift für Analysis und ihre Anwendungen vol.18, 3 (1999).
- [6] S. Leonardi, *Remarks on the regularity of solutions of elliptic systems*, Kluwer Academic/Plenum Publishers, New York 1999.
- [7] S. Leonardi, A. Passarelli, C. Sbordone, *On Fichera's existence principle in functional analysis*, Atti del Secondo Simposio Internazionale "Problemi attuali dell'analisi e della fisica matematica", Aracne Editrice, Roma 2000.
- [8] D. Andreucci, G. R. Cirmi, S. Leonardi, A. F. Tedeev, *Large time behavior of solutions to the Neumann problem for a quasilinear second order degenerate parabolic equation in domains with non compact boundary*, J. of Differential Equations vol. 174, 2 (2001).

- [9] S. Leonardi, *Weighted Miranda–Talenti inequality and applications to linear elliptic equations with discontinuous coefficients*, Comm. Math. Univ. Carolinae, 43, 1 (2002).
- [10] S. Leonardi, *A maximum principle for linear elliptic systems with discontinuous coefficients*, Comm. Math. Univ. Carolinae 45, 3, 2004.
- [11] G. R. Cirmi, S. Leonardi *Regularity results for the gradient of solutions of linear elliptic equations with $L^{1,\lambda}$ data*, Annali di Matematica Pura e Applicata, 185 (4), 2006.
- [12] G. R. Cirmi, S. Leonardi, *Regularity results for solutions of nonlinear elliptic equations with $L^{1,\lambda}$ data*, Nonlinear Analysis T.M.A., **69**, n. 1, (2008).
- [13] G. R. Cirmi, S. Leonardi, J. Stará, *Regularity results for the gradient of solutions of a class of linear elliptic systems with $L^{1,\lambda}$ data*, Nonlinear Analysis T.M.A., **68**, n. 12, (2008).
- [14] S. Leonardi and J. Stará, *Regularity results for the gradient of solutions of linear elliptic systems with VMO-coefficients and $L^{1,\lambda}$ data*, Forum Math. **22**, n. 5 (2010), pp. 913–940.
- [15] G. R. Cirmi, S. Leonardi, *Higher differentiability for solutions of linear elliptic systems with measure data*, Discrete and Continuous Dynamical Systems, **26**, n. 1, (2010).
- [16] S. Leonardi, *Gradient estimates below duality exponent for a class of linear elliptic systems*, Nonlinear Differ. Equ. Appl., **18**, n. 3, (2011), pp. 237–254.
- [17] S. Leonardi and J. Stará, *Regularity results for solutions of a class of*

parabolic systems with measure data, Nonlinear Analysis **75**, n. 4, (2012), pp. 2069-2089.

[18] S. Leonardi, *Fractional differentiability for solutions of a class of parabolic systems with $L^{1,\theta}$ -data*, Nonlinear Analysis: TMA , **95**, (2014), pp. 530-542.

[19] G. R. Cirmi and S. Leonardi, *Higher differentiability for the solutions of nonlinear elliptic systems with lower order terms and $L^{1,\theta}$ -data*, Ann. Mat. Pura e Appl. (4), **193** n. 1, (2014).

[20] S. Cianci, G. R. Cirmi, S. D'Asero, S. Leonardi, *Morrey estimates for solutions of singular quadratic non linear equations*, Annali di Matematica Pura e Applicata, vol. 196, n. 5, (2017).

[21] G. R. Cirmi, S. D'Asero, S. Leonardi, *Gradient estimate for solutions of a class of nonlinear elliptic equations below the duality exponent*, AIP Conference Proceedings, **vol. 1863**, (2017).

[22] G. R. Cirmi, S. D'Asero, S. Leonardi, *Gradient estimate for solutions of nonlinear singular elliptic equations below the duality exponent*, Mathematical Methods in Applied Sciences, **vol. 41**, n. 1, (2018)

[23] S. Leonardi, *Morrey estimates for some classes of elliptic equations with a lower order term*, Nonlinear Analysis, Theory, Methods and Applications, <https://doi.org/10.1016/j.na.2018.05.010>